



CANNON BUILDING  
861 SILVER LAKE BLVD., SUITE 203  
DOVER, DELAWARE 19904-2467

**STATE OF DELAWARE**  
**BOARD OF HOME INSPECTORS**

TELEPHONE: (302) 744-4500  
FAX: (302) 739-2711  
WEBSITE: [DPR.DELAWARE.GOV](http://DPR.DELAWARE.GOV)  
EMAIL: [customerservice.dpr@state.de.us](mailto:customerservice.dpr@state.de.us)

PUBLIC MEETING NOTICE:	<b>BOARD OF HOME INSPECTORS</b>
DATE AND TIME:	<b>Tuesday, January 13, 2015 9:00 a.m.</b>
PLACE:	<b>861 Silver Lake Boulevard, Dover, DE Cannon Building, Second-Floor Conference Room B</b>

**AGENDA**

(Amended Items Marked by Asterisk)

- 1.0 Call to Order
- 2.0 Review and Approval of Meeting Minutes
  - 2.1 December 9, 2014
- 3.0 Unfinished Business
  - 3.1 Final Denials – None
  - 3.2 Continued Discussion of Proposed Legislative Bill
    - 3.2.1 Removal of Insurance Requirements for Licensure
- 4.0 New Business
  - 4.1 Review of Applications – None
  - 4.2 Ratification of Issued Licenses
    - 4.2.1 Robert A. Giuffrida – Home Inspector Trainee
  - 4.3 Complaint Status
    - 4.3.1 New Complaint: 39-03-14\*
- 5.0 Other Business before the Board (for discussion only)
- 6.0 Public Comment
- 7.0 Next Board Meeting: **Tuesday, February 10, 2015, at 9:00 a.m.**, Second-Floor Conference Room B, Cannon Building, 861 Silver Lake Boulevard, Dover, DE 19904
- 8.0 Adjournment

Pursuant to 29 Delaware Code, Section 10004(e)(2), the Board shall pre-announce or pre-publish all Executive Sessions; however, such agenda shall be subject to change to include additional items including Executive Sessions which arise at the time of the body's meeting.

A final amended agenda will be published to reflect any items received after the original agenda is posted.

Unforeseen circumstances may result in a meeting being cancelled due to a lack of quorum.

**BOARD MEMBERS: PLEASE CALL THE OFFICE OF THE DELAWARE BOARD OF HOME INSPECTORS AT 302-744-4500 OR EMAIL [customerservice.dpr@state.de.us](mailto:customerservice.dpr@state.de.us) IMMEDIATELY IF YOU CANNOT ATTEND THE MEETING. THANK YOU.**